



Last Modified: 6-2-2008	5.1 A	From: 200601
Model Year: 2007	Model: Camry	Doc ID: RM000000PWN00KX
Title: 2GR-FE ENGINE CONTROL SYSTEM: CAMSHAFT TIMING OIL CONTROL VALVE ASSEMBLY: INSTALLATION (2007 Camry)		

INSTALLATION

1. INSTALL CAMSHAFT TIMING OIL CONTROL VALVE (for Bank 2 Intake Side)



- (a) Apply a light coat of engine oil to a new O-ring and install it to the camshaft timing oil control valve.




- (b) Install the camshaft timing oil control valve with the bolt.

Torque: 10 N·m (102 kgf·cm, 7 ft·lbf)


Make sure that the O-ring is not cracked or jammed when installing the oil control valve.

- (c) Connect the camshaft timing oil control valve connector.

2. INSTALL CAMSHAFT TIMING OIL CONTROL VALVE (for Bank 2 Exhaust Side)



- (a) Apply a light coat of engine oil to a new O-ring and install it to the camshaft timing oil control valve.



(b) Install the camshaft timing oil control valve with the bolt.

Torque: 10 N·m (102 kgf·cm, 7 ft·lbf)

Make sure that the O-ring is not cracked or jammed when installing the oil control valve.

