


Last Modified: 6-2-2008	5.1 A	From: 200601
Model Year: 2007	Model: Camry	Doc ID: RM0000022NQ001X
Title: 2GR-FE ENGINE CONTROL SYSTEM: KNOCK SENSOR: REMOVAL (2007 Camry)		

REMOVAL

1. DISCHARGE FUEL SYSTEM PRESSURE [INFO](#)
2. REMOVE ENGINE UNDER COVER LH
3. REMOVE ENGINE UNDER COVER RH
4. DRAIN ENGINE COOLANT [INFO](#)
5. REMOVE WINDSHIELD WIPER ARM AND BLADE ASSEMBLY LH [INFO](#)
6. REMOVE WINDSHIELD WIPER ARM AND BLADE ASSEMBLY RH [INFO](#)
7. REMOVE FRONT FENDER TO COWL SIDE SEAL LH [INFO](#)
8. REMOVE FRONT FENDER TO COWL SIDE SEAL RH [INFO](#)
9. REMOVE COWL TOP VENTILATOR LOUVER SUB-ASSEMBLY [INFO](#)
10. REMOVE WINDSHIELD WIPER MOTOR AND LINK [INFO](#)
11. REMOVE COWL TOP PANEL OUTER SUB-ASSEMBLY [INFO](#)
12. REMOVE COOL AIR INTAKE DUCT SEAL [INFO](#)
13. REMOVE V-BANK COVER SUB-ASSEMBLY [INFO](#)
14. REMOVE AIR CLEANER INLET ASSEMBLY [INFO](#)
15. REMOVE AIR CLEANER CAP SUB-ASSEMBLY [INFO](#)
16. REMOVE AIR CLEANER CASE SUB-ASSEMBLY [INFO](#)
17. REMOVE NO. 1 AIR CLEANER INLET [INFO](#)
18. REMOVE INTAKE AIR SURGE TANK [INFO](#)
19. SEPARATE FUEL TUBE SUB-ASSEMBLY [INFO](#)
20. REMOVE INTAKE MANIFOLD [INFO](#)
21. REMOVE KNOCK CONTROL SENSOR



(a) Disconnect the 2 knock control sensor connectors.

